

#### NOTICE OF A CITY OF WATERLOO PLAN COMMISSION PUBLIC MEETING

Pursuant to Section 19.84 Wisconsin Statutes, notice is hereby given to the public and the news media, the following meeting will be held to consider the following:

# MEETING:PLAN COMMISSIONDATE: Tuesday, February 25, 2025TIME: 6:00 p.m.LOCATION:136 N. MONROE STREET, MUNICIPAL BUILDING COUNCIL CHAMBERS

#### PLAN COMMISSION REGULARLY SCHEDULED MEETING

- 1) CALL TO ORDER AND ROLL CALL
- 2) APPROVAL OF MEETING MINUTES: October 22, 2024
- 3) CITIZEN INPUT (3-Minute Time Limit)
- 4) OLD BUSINESS
- 5) NEW BUSINESS
  - a. 224 Porter Street Home Occupation Window Cleaning Business
  - b. Ordinance 385-10.2 Home occupations in residential districts.
- 6) FUTURE AGENDA ITEMS & ANNOUNCEMENTS
- 7) ADJOURNMENT

#### Jeanne Ritter, Clerk/Deputy Treasurer

Members: Leisses, Quimby, Kuhl, Crosby, Chadwick, Empey & Renforth

Posted, Distributed & Emailed: 02/24/2025

PLEASE NOTE: It is possible that members of and possibly a quorum of members of other governmental bodies of the municipality may attend the above meeting(s) to gather information. No action will be taken by any governmental body other than that specifically noted. Also, upon reasonable notice, efforts will be made to accommodate the needs of disabled individuals through appropriate aids and services. For additional information or to request such services please contact the clerk's office at the above location.

#### WATERLOO PLAN COMMISSION - Minutes October 22, 2024

[a digital meeting recording also serves as the official record]

#### PUBLIC HEARING

- 1) CHICKENS IN WATERLOO The Plan commission will have a public hearing on allowing chickens in Waterloo.
  - a. Call to Order
  - b. Discussion
  - c. Adjournment Motion [Kuhl/Crosby] VOICE VOTE: Motion carried.

#### PLAN COMMISSION REGULARLY SCHEDULED MEETING

- CALL TO ORDER AND ROLL CALL. Mayor Quimby called the meeting to order at 6:01 pm. Commissioners attending: Crosby, Empey, and C. Kuhl. Remote: none Absent: Renforth, Chadwick and Leisses. Others in attendance: J. Otteson, J. Otteson, T.Thomas, G. Gruchow, M. Hall, D North, U North, J.Holzhueter, R. Amble, C. Schaefer, J. Schaefer, G. Knutson, S. Knutson, H. Knutson, B. Coons, R. Woldt, M. Woldt, T. Woldt, M. Williams, J.Forman, A. Reise, and Clerk Ritter.
- 2) APPROVAL OF MEETING: June 25, 2024 Motion [Crosby/Empey] VOICE VOTE: Motion carried.
- 3) CITIZEN INPUT
- 4) OLD BUSINESS
  - a. Chickens Discussion Motion to refer to council without approval. Motion Crosby no second. New Motion to refer to Council based on Juneau's pilot program on Chicken. [Empey/Quimby] ROLL CALL: Yes 3 No 1 Motion carried.
- 5) NEW BUSINESS
- 6) FUTURE AGENDA ITEMS & ANNOUNCEMENTS:
- 7) ADJOURNMENT (C. Kuhl/Empey] VOICE VOTE: Motion carried. Approximately 7:05 pm

Jeanne Ritter, Clerk/Deputy Treasurer

Following up on our conversation today, I am sending over a general description of my proposed window cleaning business, along with a detailed explanation of how it will specifically meet the requirements outlined in section 385-10.1 of Waterloo's zoning codes.

As requested, I have also attached the SDS sheets for the soaps I plan to use in my business.

Please let me know if you have any other items you may need from me.

Thank you for your time and insights this afternoon. I look forward to hearing from you soon.

#### **David Leary**

224 W Porter St, Waterloo, WI, 53549 Leary42095@gmail.com 920-650-5349

02-08-2025

#### **Plan Commission**

City of Waterloo 136 N Monroe St Waterloo, WI 53594

Dear Members of the Plan Commission,

I am writing to formally apply for approval to operate a **window cleaning business** from my residence located at 224 West Porter Street, Waterloo, WI. This business will be conducted as an owner-operator **home occupation**, and I am committed to ensuring full compliance with the applicable zoning regulations.

## Description of the Proposed Home Occupation

The business will provide residential and commercial window cleaning services in the local area. I will operate this business solely as an individual owner-operator with no additional employees (other than myself or family members) and will utilize only the space within my home and attached garage for the operation of the business.

## Compliance with Home Occupation Guidelines

I understand the requirements for a home occupation in Waterloo, and I affirm that my proposed window cleaning business will comply with the following criteria:

#### 1. Business Location:

The business will be conducted entirely within the enclosed area of my dwelling unit and attached garage, as required.

#### 2. Exterior Alterations:

There will be no exterior alterations made to the structure, and no changes will be made to the character of the dwelling. I will ensure that no exterior evidence of the business, other than a compliant sign, is visible.

#### 3. Storage of Materials and Equipment:

All materials, goods, and equipment related to the business will be stored indoors and will not be visible outside the dwelling or any structures on the premises.

#### 4. Impact on the Residential Neighborhood:

My window cleaning business will not create smoke, odor, glare, noise, dust, vibration, fire hazards, electrical interference, or any other nuisance that would disturb the average residential neighborhood.

#### 5. Signage:

I will use one sign to indicate the business, which will comply with the size limitation of three square feet and will not be illuminated.

#### 6. Use of Commercial Vehicles:

I will only use my personal vehicle for business operations and will not employ any commercial vehicles beyond occasional delivery of materials or equipment.

#### 7. Business Type:

The business is service-oriented (window cleaning) and will not involve the production, sale, or mass distribution of products from my home.

#### 8. Floor Area Occupancy:

The business will occupy no more than 30% of the total floor area of my dwelling unit. That being the attached garage, and a small desk/tool bench located in the basement of our dwelling.

#### 9. Employees:

The business will not have any employees other than myself and immediate family members. No nonresident employees will be involved. .

#### 10. Excluded Activities:

The business will not involve motor vehicle repair or body work, as per the zoning regulations.

#### 11. Animals:

No animals will be involved in the operation of the business.

#### 12. Other Restrictions:

I understand that a home day care or any similar service is not a part of my business.

## Conclusion

I believe my proposed window cleaning business fully complies with the guidelines for a home occupation under the zoning regulations in Waterloo. I respectfully request approval from the Plan Commission to proceed with my business.

If you require any additional information or documentation, please do not hesitate to contact me at 920-650-5349 or <u>Leary42095@gmail.com</u>. I appreciate your consideration of my application and look forward to your response.

Thank you for your time and attention.

Sincerely, David Leary

## SAFETY DATA SHEET



Issuing Date: 05-Oct-2015

Revision Date: 05-Oct-2015

Version 1

	1. IDENTIFICATION
Product Name	Dawn Ultra Dishwashing Liquid, Original Scent
Product ID:	97591965_RET_NG
Product Type:	Finished Product - Consumer (Retail) Use Only
Recommended use	Dish Care
Restrictions on Use	Use only as directed on label.
Synonyms	Dawn Ultra Dishwashing Liquid, Pomegranate Awakening (97591967_RET_NG) Dawn Ultra Dishwashing Liquid, Apple Orchard Harvest (97591968_RET_NG)
Manufacturer	PROCTER & GAMBLE - Fabric and Home Care Division Ivorydale Technical Centre 5289 Spring Grove Avenue Cincinnati, Ohio 45217-1087 USA
	Procter & Gamble Inc. P.O. Box 355, Station A Toronto, ON M5W 1C5 1-800-331-3774
E-mail Address	pgsds.im@pg.com
Emergency Telephone	Transportation (24 HR) CHEMTREC - 1-800-424-9300 (U.S./ Canada) or 1-703-527-3887 Mexico toll free in country: 800-681-9531

#### 2. HAZARD IDENTIFICATION

"Consumer Products", as defined by the US Consumer Product Safety Act and which are used as intended (typical consumer duration and frequency), are exempt from the OSHA Hazard Communication Standard (29 CFR 1910.1200). This SDS is being provided as a courtesy to help assist in the safe handling and proper use of the product.

This product is classifed under 29CFR 1910.1200(d) and the Canadian Hazardous Products Regulation as follows:.

<u>Hazard Category</u> Eye Damage / Irritation	Category 2B
Signal Word	WARNING
Hazard Statements	Causes eye irritation
Hazard pictograms	None

Precautionary Statements - Prevention	Wash hands thoroughly after handling
Precautionary Statements - Response	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF SWALLOWED: Drink 1 or 2 glasses of water
Precautionary Statements - Storage	None
Precautionary Statements - Disposal	None
Hazards not otherwise classified (HNOC)	None

#### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Ingredients are listed according to 29CFR 1910.1200 Appendix D and the Canadian Hazardous Products Regulation

Chemical Name	Synonyms	Trade Secret	CAS-No	Weight %
Sulfuric acid, mono-C10-16-alkyl esters, sodium salts	Sulfuric acid, mono-C10-16-alkyl esters, sodium salts	No	68585-47-7	15 - 20
Poly(oxy-1,2-ethanediyl), alpha-sulfo-omega-hydroxy-, C10-16-alkyl ethers, sodium salts	Poly(oxy-1,2-ethanediyl), alpha-sulfo-omega-hydro xy-, C10-16-alkyl ethers, sodium salts	No	68585-34-2	5 - 10
Amine oxides, C10-16-alkyldimethyl	Amine oxides, C10-16-alkyldimethyl	No	70592-80-2	5 - 10
Ethanol	Ethanol	No	64-17-5	1 - 5

#### 4. FIRST AID MEASURES

#### First aid measures for different exposure routes

Eye contact	Rinse with plenty of water. Get medical attention immediately if irritation persists.
Skin contact	Rinse with plenty of water. Get medical attention if irritation develops and persists.
Ingestion	Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention immediately if symptoms occur.
Inhalation	Move to fresh air. If symptoms persist, call a physician.
Most important symptoms/effects, acute and delayed	None under normal use conditions.
Indication of immediate medical att	ention and special treatment needed, if necessary

Notes to Physician

Treat symptomatically.

### **5. FIRE-FIGHTING MEASURES**

97591965\_RET\_NG - Dawn Ultra Dishwashing Liquid, Original Scent

Suitable extinguishing media	Dry chemical, CO <sub>2</sub> , alcohol-resistant foam or water spray.
Unsuitable Extinguishing Media	None.
Special hazard	None known.
Special protective equipment for fire-fighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.
Specific hazards arising from the chemical	None.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective ed	quipment and emergency procedures
Personal precautions	Use personal protective equipment. Do not get in eyes, on skin, or on clothing.
Advice for emergency responders	Use personal protective equipment as required.
Methods and materials for containr	nent and cleaning up
Methods for containment	Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
Methods for cleaning up	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
	7. HANDLING AND STORAGE

#### T. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling	Use personal protective equipment as required. Keep container closed when not in use. Never return spills in original containers for re-use. Keep out of the reach of children.
Conditions for safe storage, includ	ing any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.
Incompatible products	None known.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

#### **Exposure Guidelines**

Chemical Name	CAS-No	ACGIH TLV	OSHA PEL	Mexico PEL
Ethanol	64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup> (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m <sup>3</sup>	Mexico: TWA 1000 ppm Mexico: TWA 1900 mg/m³

Chemical Name	CAS-No	Alberta	Quebec	Ontario TWAEV	British Columbia
Ethanol	64-17-5	TWA: 1000 ppm	TWA: 1000 ppm	STEL: 1000 ppm	STEL: 1000 ppm
		TWA: 1880 mg/m <sup>3</sup>	TWA: 1880 mg/m <sup>3</sup>		

No relevant exposure guidelines for other ingredients

.

#### Exposure controls

Engineering Measures	Distribution, Workplace and Household Settings: Ensure adequate ventilation
	<b>Product Manufacturing Plant (needed at Product-Producing Plant ONLY):</b> Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction
Personal Protective Equipment	
Eye Protection	Distribution, Workplace and Household Settings: No special protective equipment required
	Product Manufacturing Plant (needed at Product-Producing Plant ONLY): Use appropriate eye protection
Hand Protection	<b>Distribution, Workplace and Household Settings:</b> No special protective equipment required
	Product Manufacturing Plant (needed at Product-Producing Plant ONLY): Protective gloves
Skin and Body Protection	Distribution, Workplace and Household Settings: No special protective equipment required
	Product Manufacturing Plant (needed at Product-Producing Plant ONLY): Wear suitable protective clothing
Respiratory Protection	Distribution, Workplace and Household Settings: No special protective equipment required

Product Manufacturing Plant (needed at Product-Producing Plant ONLY): In case of insufficient ventilation wear suitable respiratory equipment

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

liquid Various color by product

No information available

Scented

Physical State @20°C
Appearance
Odor
Odor threshold

Property pH value	<u>Values</u> 9.0 - 9.2
Melting/freezing point	No information available
Boiling point/boiling range	100 - 104 °C / 212 - 219 °F
Flash point	No Flash to Boiling (NFTB)
Evaporation rate	No information available
Flammability (solid, gas)	No information available
Flammability Limits in Air	
Upper flammability limit	No information available
Lower Flammability Limit	No information available
Vapor pressure	No information available
Vapor density	No information available
Relative density	1.04
Water solubility	100%
Solubility in other solvents	No information available
Partition coefficient: n-octanol/wate	erNo information available
Autoignition temperature	No information available
Decomposition temperature	No information available

Note 10% aqueous solution

•

Viscosity of Product	No information available
VOC Content (%)	Products comply with US state and federal regulations for VOC content in consumer
	products.

10. STABILITY AND REACTIVITY		
Reactivity	None under normal use conditions.	
Stability	Stable under normal conditions.	
Hazardous polymerization	Hazardous polymerization does not occur.	
Hazardous Reactions	None under normal processing.	
Conditions to Avoid	None under normal processing.	

Materials to avoid None in particular.

Hazardous Decomposition Products None under normal use.

#### **11. TOXICOLOGICAL INFORMATION**

<u>Product Information</u> Information on likely routes of exposure

Inhalation	No known effect.
Skin contact	No known effect.
Ingestion	No known effect.
Eye contact	Irritating to eyes.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Acute toxicity Skin corrosion/irritation	No known effect. No known effect.
Serious eye damage/eye irritation	Irritating to eyes.
Skin sensitization	No known effect.
Respiratory sensitization	No known effect.
Germ cell mutagenicity	No known effect.
Neurological Effects	No known effect.
Reproductive toxicity	No known effect.
Developmental toxicity	No known effect.
Teratogenicity	No known effect.
STOT - single exposure	No known effect.
STOT - repeated exposure	No known effect.
Target Organ Effects	No known effect.
Aspiration hazard	No known effect.
Carcinogenicity	No known effect.

#### Component Information

Chemical Name	CAS-No	LD50 Oral	LD50 Dermal	LC50 Inhalation
Poly(oxy-1,2-ethanediyl), alpha-sulfo-omega-hydroxy-, C10-16-alkyl ethers, sodium salts	68585-34-2	>2001 mg/kg	-	-

#### 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

The product is not expected to be hazardous to the environment.

Persistence and degradability

No information available.

97591965\_RET\_NG - Dawn Ultra Dishwashing Liquid, Original Scent

Bioaccumulative potential	No information available.
Mobility	No information available.
Other adverse effects	No information available.

**13. DISPOSAL CONSIDERATIONS** 

#### Waste treatment

Waste from Residues / Unused Products	Disposal should be in accordance with applicable regional, national and local laws and regulations.		
Contaminated packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.		
California Hazardous Waste Codes (non-household setting)	331		
14. TRANSPORT INFORMATION			

DOT	Not regulated
IMDG	Not regulated
IATA	Not regulated

#### **15. REGULATORY INFORMATION**

#### U.S. Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	CAS-No	Hazardous Substances RQs	Extremely Hazardous Substances RQs	CERCLA/SARA 302 TPQ
Sodium hydroxide	1310-73-2	1000 lb	-	

#### Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following substance(s) which are either listed as hazardous air pollutants (HAPS) or VOC's per the Clean Air Act:

Chemical Name	CAS-No	CAA (Clean Air Act) - 1990 Hazardous Air Pollutants
Phenoxyethanol	122-99-6	Х

#### **Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CAS-No	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide	1310-73-2	1000 lb	-	-	Х

#### California Proposition 65

#### 97591965\_RET\_NG - Dawn Ultra Dishwashing Liquid, Original Scent

This product is not subject to warning labeling under California Proposition 65.

#### **U.S. State Regulations (RTK)**

Chemical Name	CAS-No	New Jersey
Ethanol	64-17-5	X

Chemical Name	CAS-No	Massachusetts
Ethanol	64-17-5	Х

Chemical Name	CAS-No	Pennsylvania
Ethanol	64-17-5	Х
Sodium hydroxide	1310-73-2	Х
Phenoxyethanol	122-99-6	Х

#### International Inventories

#### **United States**

All intentionally-added components of this product(s) are listed on the US TSCA Inventory.

#### Canada

This product is in compliance with CEPA for import by P&G.

#### Legend

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory **CEPA** - Canadian Environmental Protection Act

#### **16. OTHER INFORMATION**

Issuing Date:	05-Oct-2015
Revision Date:	05-Oct-2015
Disclaimer	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS



## Safety Data Sheet (SDS)

Titan Laboratories, Inc.

SDS #531 / January 3, 2022 Page 1

## **1. PRODUCT AND COMPANY IDENTIFICATION**

#### Manufacturer

Titan Laboratories 2935 Irving Blvd., #209 Dallas, TX 75247

Contact: Titan Laboratories Phone: 800-475-3300 // 214-638-1200 Email: info@titanlabs.net Web: www.titanlabs.net

Product Name: Glass Gleam-3 Revision Date: January 3, 2022 Version: 3.2 SDS Number: 531 Common Name: Cleaner CAS Number: MIXTURE Chemical Family: Cleaner Chemical Formula: \*\*\* PROPRIETARY \*\*\* Product Use: Glass cleaning

Emergency Phone: +1-800-255-3924

## 2. HAZARDS IDENTIFICATION

NFPA: HMIS III:



Health = 1, Fire = 1, Reactivity = 0 H\*1/F1/PH0





GHS Signal Word: DANGER

GHS Hazard Pictograms:



## Safety Data Sheet (SDS) Titan Laboratories, Inc.

SDS #531 / January 3, 2022 Page 2

GHS Classifications: Health, Acute toxicity, 4 Oral Health, Skin corrosion/irritation, 2 Health, Serious Eye Damage/Eye Irritation, 1

GHS Phrases:

- H302 Harmful if swallowed
- H315 Causes skin irritation

H318 - Causes serious eye damage

GHS Precautionary Statements:

P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P262 - Do not get in eyes, on skin, or on clothing.

P264 - Wash skin thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P273 - Avoid release to the environment.

P281 - Use personal protective equipment as required.

P301+310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+361+353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

P321 - Specific treatment (see supplementary first aid instructions on this label).

P332+313 - If skin irritation occurs: Get medical advice/attention.

P337+313 - If eye irritation persists: Get medical advice/attention.

P362 - Take off contaminated clothing and wash before reuse.

P405 - Store locked up.

P410+412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

P501 - Dispose of contents/container to an approved waste disposal plant.

**Health Hazards:** Not to be expected if handled and used properly. Health hazard assignment applies to concentrated product only. When this product is used at the dilutions recommended by Titan Laboratories, it attributes minimal to no health hazards, acute or chronic, to the end user.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

CAS #	Percentage	Chemical Name
N/A	65-78%	Proprietary, non-hazardous, non-regulated
68439-46-3	20-25%	Alcohols, C9-11, ethoxylated
68130-47-2	1-5%	Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono-C8-10-alkyl ethers, phosphates
6419-19-8	1-5%	Phosphonic acid, [nitrilotris (methylene)]tris-

## 4. FIRST AID MEASURES

**Inhalation:** Give oxygen or artificial respiration if needed. If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention.

**Skin Contact:** Take off contaminated clothing and shoes immediately. Promptly flush skin with water for at least 15 minutes to ensure all chemical is removed. If reddening develops and/or persists, obtain medical attention.

**Eye Contact:** Flush with large amounts of water for at least 15 minutes, lifting upper and lower lids occasionally. Remove contact lenses is present and easy to do so. If eye irritation persists, obtain medical attention.

**Ingestion:** Rinse mouth with water. Do NOT induce vomiting unless instructed to do so. Never give anything by mouth to an unconscious person. Get immediate medical attention.

Most important symptoms and effects, both acute and delayed: The most important known symptoms and effects are

## Safety Data Sheet (SDS) Titan Laboratories, Inc.

SDS #531 / January 3, 2022 Page 3

described in the labelling (see Section 2) and/or Section 11.

Indication of any immediate medical attention and special treatment needed: No data available.

## 5. FIRE FIGHTING MEASURES

Flammability:	No data available
Flash Point	DNA
Flash Point Method	DNA
Burning Rate	No data available
Autoignition Temp	No data available
LEL	DNA
UEL	DNA

#### Extinguishing Media:

Water Spray Water Fog Carbon Dioxide Alcohol-Resistant Foam Dry Chemical

#### Special Hazards Arising From the Substance or Mixture:

Aldehydes Carbon Oxides Hydrocarbon particulate

Hydrogen Chloride gas Nitrogen Oxides (NOx) Phosphine gas Phosphorous Oxides Sodium Oxides

Advice for Firefighters: Firefighters should wear full-face, positive-pressure respirators.

**Further Information:** If incinerated, may release toxic fumes. Use water spray to cool unopened containers. Do NOT use high volume water jet to extinguish fire, as the force of the water jet may cause fire to spread. See Section 7 for more information on safe handling. See Section 8 for more information on personal protection equipment. See Section 13 for disposal information.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal Precautions, Protective Equipment and Emergency Procedures:

Use personal protective equipment. Keep from contacting skin or eyes. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

Environmental Precautions: Prevent further release (leakage/spillage) if safe to do so. Do not allow product to enter drains. Do not allow to drain to environment.

**Methods and Materials for Containments and Cleaning Up:** Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Place contaminated material into suitable, closed containers for disposal. Dispose of contaminated material according to Section 13. After spillage has been collected, area may be flushed with water or wet-brushed. Ensure adequate ventilation.

**Reference to Other Sections:** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for information on proper disposal.

## 7. HANDLING AND STORAGE

**Handling Precautions:** Avoid breathing vapors or mist. Avoid contact with eyes, skin, or clothing. Keep containers closed when not in use. Do not expose containers to open flame, excessive heat, or direct sunlight. Keep away from sources of ignition. Do not smoke while using material. Do not puncture or drop containers.

**Storage Requirements:** Handle with care and avoid spillage on the floor (slippage). Keep material out of reach of children. Keep material away from incompatible materials. Wash thoroughly after handling. Keep container tightly closed. Store in a well-ventilated place. Do not store at temperatures exceeding 50 °C/122 °F. Do not store in direct sunlight.

Store away from strong acids, strong bases, strong oxidizing agents, strong reducing agents, Alcohols, Amines, reactive metals

## Safety Data Sheet (SDS) Titan Laboratories, Inc.

SDS #531 / January 3, 2022

Page 4

(Zinc & Aluminum) and their alloys (Brass, etc.), Copper and its alloys, Iron, rubber, and materials that are reactive with Hydroxyl compounds.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:** All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94). Use local exhaust at filling zones and where leakage and dust formation is probable. Use mechanical (general) ventilation for storage areas. Use appropriate ventilation as required to keep Exposure Limits in Air below TLV & PEL limits.

#### Personal Protective Equip:

Eye/face protection: When using material use safety glasses and gloves according to HMIS PP, B. All safety equipment should be tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU).

Skin protection: Handle with gloves made from PVC, Neoprene or Nitrile. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact. Dispose of contaminated gloves according to applicable laws and laboratory practices.

Body Protection: Chemically resistant gloves, and safety glasses are recommended. Type of protective equipment should be selected based on concentration amount and conditions of use of this material.

Respiratory protection: Full-face vapor respirator may be required as backup to engineering controls when proper engineering controls are not in place to keep TLV and PEL limits below defined thresholds.

Control of environmental exposure: Prevent leakage or spillage if safe to do so. Do not let material enter drains.

#### Components with workplace control parameters:

Component(s): Phosphonic acid, [nitrilotris(methylene)]tris- CAS No(s): 6419-19-8 USA Workplace Environmental Exposure Levels (TWA/WEEL): 10 mg/m<sup>3</sup>

Biological occupational exposure limits: Contains no substances with biological occupational exposure limits values.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear, orange liquid Physical State: Liquid Odor Threshold: Not determined Particle Size: Not determined Spec Grav./Density: 1.028 g/ml (8.58 lbs/gal) Viscosity: Not determined Sat. Vap. Conc.: Not determined Boiling Point: 100.6 °C (213 °F) Flammability: (solid, gas): Not determined Partition Coefficient: Not determined Vapor Pressure: (mm Hg @ 25 °C): 20 **pH:** @ 1%: 7.4 **Evap. Rate:** (N-Butyl Acetate = 1): Not determined Molecular weight: MIXTURE Decomp Temp: Not determined Odor: Pleasant Molecular Formula: MIXTURE Solubility: 100% Softening Point: Not determined Percent Volatile: 1.02% Heat Value: Not determined Freezing/Melting Pt .: Not determined Flash Point: DNA Octanol: Not determined Vapor Density: (air = 1): Not determined

## Safety Data Sheet (SDS) Titan Laboratories, Inc.

SDS #531 / January 3, 2022 Page 5

VOC: 10.3 g/l Bulk Density: Not determined Auto-Ignition Temp: Not determined UFL/LFL: Not determined

## **10. STABILITY AND REACTIVITY**

Stability: Product is stable under normal conditions.

Conditions to Avoid: Incompatibilities, flames, ignition sources.

**Materials to Avoid:** Strong acids, strong bases, strong oxidizing agents, strong reducing agents, Alcohols, Amines, reactive metals (Zinc & Aluminum) and their alloys (Brass, etc.), Copper and its alloys, Iron, rubber, and materials that are reactive with Hydroxyl compounds.

Hazardous Decomposition: Aldehydes, Carbon Oxides, Hydrocarbon particulate, Hydrogen Chloride gas, Nitrogen Oxides (NOx), Phosphine gas, Phosphorous Oxides and Sodium Oxides.

Hazardous Polymerization: Will not occur.

## **11. TOXICOLOGICAL INFORMATION**

**Component(s):** Alcohols, C9-11, ethoxylated; Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-hydroxy-, mono-C8-10-alkyl ethers, phosphates; Phosphonic acid, [nitrilotris(methylene)]tris-**CAS No(s):** 68439-46-3; 68130-47-2; 6419-19-8

#### Acute Toxicity:

LD50 Oral - Rat: 2,910 mg/kg LD50 Dermal - Rabbit: > 5,000 mg/kg

Skin Corrosion/Irritation: Rabbit skin - Corrosive (4 h).

Serious Eye Damage/Eye Irritation: Rabbit eyes - Severe eye irritation.

Respiratory or Skin Sensitization: No data available. Germ Cell Mutagenicity: No data available. Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive Toxicity: No data available.

#### Specific Target Organ Toxicity - Single Exposure: No data available. Specific Target Organ Toxicity - Repeated Exposure:

No data available. Aspiration Hazard: No data available.

#### Additional Information:

Component: Alcohols, C9-11, ethoxylated; RTECS: AX8100000 Component: Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-hydroxy-, mono-C8-10-alkyl ethers, phosphates; RTECS: 1001516AS Component: Phosphonic acid, [nitrilotris(methylene)]tris-; RTECS: SZ9860000

## Safety Data Sheet (SDS) Titan Laboratories, Inc.

SDS #531 / January 3, 2022 Page 6

## 12. ECOLOGICAL INFORMATION

**Component(s):** Alcohols, C9-11, ethoxylated; Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-hydroxy-, mono-C8-10-alkyl ethers, phosphates; Phosphonic acid, [nitrilotris(methylene)]tris-**CAS No(s):** 68439-46-3; 68130-47-2; 6419-19-8

#### Toxicity:

Toxicity to fish:

LC50 - Oncorhynchus mykiss (Rainbow Trout): 5.5 mg/l (96 h) LC50 - Pimephales promelas (Fathead Minnow): 8.5 mg/l (144 h) LC50 - Salmo gairdneri: 160 mg/l (96 h)

*Toxicity to daphnia and other aquatic invertebrates:* EC50 - Daphnia magna (Water Flea): 5.3 mg/l (48 h) Immobilization EC50 - Daphnia magna (Water flea): 297 mg/l (48 h)

*Toxicity to algae:* Static test EC50 - Skeletonema costatum: 80 mg/l (72 h)

Persistence and Degradability: No data available.

**Bioaccumulative potential:** No data available.

Mobility in Soil:

No data available.

Results of PBT and vPvB assessment:

Not required/conducted.

#### Other Adverse Effects:

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life.

## **13. DISPOSAL CONSIDERATIONS**

Product: Hazardous wastes shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution, release into the environment or damage to people and animals. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated Packaging: Dispose of as unused product.

## 14. TRANSPORT INFORMATION

DOT (US)

Non-regulated material, liquid

IMDG

Non-regulated material, liquid

#### IATA

Non-regulated material, liquid

## **15. REGULATORY INFORMATION**

## COMPONENT / (CAS/PERC) / CODES

\*Alcohols, C9-11, ethoxylated (68439463 20-25%) SARA311/312, TSCA

\*Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-hydroxy-, mono-C8-10-alkyl ethers, phosphates (68130472 1-5%) TSCA

## Safety Data Sheet (SDS) Titan Laboratories, Inc.

SDS #531 / January 3, 2022 Page 7

\*Phosphonic acid, [nitrilotris(methylene)]tris- (6419198 1-5%) TSCA

#### **REGULATORY KEY DESCRIPTIONS**

SARA311/312 = SARA 311/312 Toxic Chemicals TSCA = Toxic Substances Control Act

### **16. OTHER INFORMATION**

#### **Disclaimer:**

The data in this Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material in any process. The information set forth herein is furnished free of charge and is based on technical data that Titan Laboratories believes to be reliable. It is intended for use by persons having technical skill and at their own discretion and risk. Since conditions of use are outside of Titan Laboratories' control, Titan Laboratories makes no warranties, expressed or implied, and assumes no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under, or a recommendation to infringe upon, any patents.



	<sup>7</sup> Identification		
Product Code:	#30116		
Product Name:	Squeegee Off Concentrate		
Company Name:	Ettore Products Company 2100 North Loop Rd. Alameda, CA 94502	<b>Phone Number:</b> (510)748-4130	
Web site address:	www.ettore.com		
Emergency Contact:	Domestic & Canada International	(800)535-5053 (352)323-3500	
Additional Information:	#30116L, #30130		

## 2. Hazards Identification

#### Acute Toxicity: Oral, Category 5 Serious Eye Damage/Eye Irritation, Category 2B

GHS Signal Word: GHS Hazard Phrases:	Warning May be harmful if swallowed.
	Causes eye irritation.
GHS Precaution Phrases:	Wash hands thoroughly after handling. Keep out of reach of children.
GHS Response Phrases: GHS Storage and Disposal	Call a POISON CENTER/doctor/ if you feel unwell. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention immediately. Store in cool dry place at room temperature away from direct sunlight.
Phrases:	Dispose of contents and container according to the local, city, state and federal regulations.
Potential Health Effects (Acute and Chronic):	
Inhalation:	Not expected to be a problem.
Skin Contact:	Not expected to be a problem.
Eye Contact:	Contact may cause eye irritation.
Ingestion:	Ingestion may cause headache, nausea, and vomiting.
3.	Composition/Information on Ingredients

	1	 	
Composition			

CAS #	Hazardous Components (Chemical Name)	Concentration
166736-08-9	Oxirane, methyl-, polymer with oxirane, mono(2-propylheptyl) ether	Proprietary
68439-46-3	Alcohol ethoxylate	Proprietary



## 4. First Aid Measures

Emergency and First Aid Procedures:				
In Case of Inhalation:	Not expected to be a problem.			
In Case of Skin Contact:	Flush with water for 15 minutes. If irritation persists, call a physician.			
In Case of Eye Contact:	Immediately flush eyes with plenty of water for at I east 15 minutes.			
In Case of Ingestion:	If swallowed, do not induce vomiting unless directed to do so by medical personnel. If			
	victim is conscious and alert, give 2-4 cupfuls of milk or water. Get medical attention immediately.			
	5. Fire Fighting Measures			
Flash Pt:	230.00 F			
Explosive Limits:	LEL: N/A UEL: N/A			
Autoignition Pt:	NE			
Suitable Extinguishing Media	a:Water spray, fog or regular foam.			
Fire Fighting Instructions:	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.			
Flammable Properties and Hazards:	No data available.			
6. Accidental Release Measures				
Protective Precautions, Protective Equipment and Emergency Procedures:	Safety glasses. Protective gloves. Respiratory protection is not required.			
Environmental Precautions:	Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification. Avoid release to the environment.			
Steps To Be Taken In Case Material Is Released Or Spilled:	Avoid runoff into storm sewers and ditches which lead to waterways. Dike for later disposal and cover with wet sand or earth. Absorb on sand or vermiculite and place in closed containers for disposal.			
	7. Handling and Storage			
Precautions To Be Taken in Handling:	Avoid contact with skin and eyes. Wash hands before eating.			
Precautions To Be Taken in Storing:	Store in cool dry place at room temperature away from direct sunlight.			

## 8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
166736-08-9	Oxirane, methyl-, polymer with oxirane, mono(2-propylheptyl) ether	No data.	No data.	No data.
68439-46-3	Alcohol ethoxylate	No data.	No data.	No data.



		Supersedes Revision:	05/18/2015		
Respiratory Equipment	Respiratory protection is not required.				
(Specify Type):					
Eye Protection:	Safety glasses.				
Protective Gloves:	Wear appropriate protective gloves to prevent skin exposure.				
Other Protective Clothing:	None.				
Engineering Controls	No special ventilation requirements.				
(Ventilation etc.):					
	9. Physical and Chemical Properties				
Physical States:	[]Gas [X]Liquid []Solid				
Appearance and Odor:	Blue Color Liquid with Citrus and Alcohol Fragrance.				
Melting Point:	NE				
Boiling Point:	> 212.00 F				
Decomposition Temperature	: NE				
Autoignition Pt:	NE				
Flash Pt:	230.00 F				
Explosive Limits:	LEL: N/A UEL: N/A				
Specific Gravity (Water = 1):	1.020				
Density:	8.5 LB/GA				
Vapor Pressure (vs. Air or	NE				
mm Hg):					
Vapor Density (vs. Air = 1):	NE				
Evaporation Rate:	NE				
Solubility in Water:	100%				
Saturated Vapor	NE				
Concentration:					
Viscosity:	NP				
pH:	7 - 10				
Percent Volatile:	No data.				
VOC / Volume:	0.0000 G/L				
	10. Stability and Reactivity				
Stability:	Unstable [ ] Stable [ X ]				
Conditions To Avoid - Instability:	None.				
Incompatibility - Materials To Avoid:	Strong oxidizing agents.				
Hazardous Decomposition Or Carbon monoxide, Carbon dioxide. Byproducts:					
Possibility of Hazardous Reactions:	Will occur [ ] Will not occur [ X ]				
Conditions To Avoid - Hazardous Reactions:	None.				



					Sup	ersedes Revision: 05/18/2015	
		11. Tox	icological In	format	ion		
Toxicological	Information:	No data available.					
		CAS# 68439-46-3	3:				
Carcinogenic	arcinogenicity: Acute toxicity, LD50, Oral, Rat, 1378. MG/KG.						
		Results:					
			ement of regional			r tiaqua lavala:	
		Biochemical:Enzyme inhibition, induction, or change in blood or tissue levels: Dehydrogenases.					
		, .		ary): Lipio	ds including transp	port.	
		Biochemical: Metabolism (Intermediary): Lipids including transport. - Journal of the American College of Toxicology., Mary Ann Liebert, Inc., New York, NY,					
		Vol/p/yr: 10(4),42	7, 1991				
		NTP? No IAI	RC Monographs?	No C	SHA Regulated?	No	
		12. Ec	ological Info	ormatio	on		
		No data available					
Results of PB	BT and vPvB	CAS# 68439-46-3	8:				
assessment:		LC50, Fathead Minnow (Pimephales promelas), 11000. UG/L, 96 H, Mortality, Water					
		temperature: 22.0	0 C C.				
		Results:	naoc				
		Morphological cha - Acute Toxicity a	•	tv Relatio	nshins of Nine Ald	cohol Ethoxylate	
				•		C.L., P.B. Dorn, and E.Y.	
		Chai, 1997		•	<b>0</b> / <b>0</b> /	, ,	
		13. Dis	posal Consi	deratic	ons		
Waste Dispos	sal Method:	Dispose of conter	its and container a	ccording	to the local, city, s	state and federal	
		regulations.					
		14. Ir	ansport Info	ormatio	n		
LAND TRANS	SPORT (US DO	Г):					
-		me: Not Regulated	J.				
	ard Class:						
UN/NA NU							
LAND TRANSPORT (Canadian TDG): TDG Shipping Name: Not Regulated.							
		Not Regulated					
	ANSPORT (IMD	•					
	O Shipping Nan	-	d.				
	ORT (ICAO/IAT						
	A Shipping Nar						
15. Regulatory Information							
•	-	ments and Reauthor	-		-		
CAS #		nponents (Chemical	-	2 (EHS)	S. 304 RQ	S. 313 (TRI)	
166736-08-9	Oxirane, methyl- mono(2-propylhe	<ul> <li>, polymer with oxirane</li> <li>eptyl) ether</li> </ul>	e, No		No	No	
68439-46-3	Alcohol ethoxyla	ite	No		No	No	



Page: 5 Printed: 09/30/2015 Revision: 09/30/2015 Supersedes Revision: 05/18/2015


### CAS # Hazardous Components (Chemical Name)

166736-08-9	Oxirane, methyl-, polymer with oxirane,	
	mono(2-propylheptyl) ether	
68439-46-3	Alcohol ethoxylate	

Other US EPA or State Lists

CA PROP.65: No; CA TAC, Title 8: No

CA PROP.65: No; CA TAC, Title 8: No



Company Policy or Disclaimer: The manufacturer believes the data set forth are accurate and makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion.

#### § 385-10.2. Home occupations in residential districts. [Added 7-2-2009 by Ord. No. 2009-09]

- A. Intent. It is the intent of this section to provide a means to accommodate a small home-based business without the necessity of a rezoning the land area from an R-1, R1-A, or R-2 District to a commercial district. Home occupations are economic activities permitted within any single-family detached residence which comply with the following requirements. Examples include the provision of personal and professional services. Once a home occupation has been approved, it may not be expanded or enlarged.
- B. Requirements. Any individual who desires to locate a home occupation within a dwelling located in one of the residential districts described in Subsection A, shall make written application to the Plan Commission for approval thereof. Said application shall contain complete and accurate description of the proposed home occupation; and such additional information as the Zoning Administrator and/or the Plan Commission may require. In determining whether or not to approve any requested home occupation, the Plan Commission shall be guided by the following criteria:
  - (1) The home occupation shall be conducted only within the enclosed area of the dwelling unit or an attached garage.
  - (2) There shall be no exterior alterations of the structure which change the character thereof as a dwelling. There shall be no exterior evidence of the home occupation other than those signs permitted in the district.
  - (3) No storage or display of materials, goods, supplies, or equipment related to the operation of the home occupation shall be visible outside any structures located on the premises.
  - (4) No home occupation use shall create smoke, odor, glare, noise, dust, vibration, fire hazard, small electrical interference or any other nuisance not normally associated with the average residential use in the district.
  - (5) Only one sign may be used to indicate the type of home occupation. Such sign shall not be illuminated and shall not exceed three square feet.
  - (6) The home occupation shall not involve the use of commercial vehicles for more than occasional delivery of materials to or from the premises.
  - (7) Authorized home occupations are restricted to service-oriented businesses and the mass production of items or products or the sale of items or products on the premises is prohibited. Examples of service-oriented businesses include, but are not limited to, computer programming, accounting, law, insurance agencies and computer-based consulting and clerical services.
  - (8) Authorized home occupations shall not occupy more than 30% of the floor area of the dwelling in question.
  - (9) Persons employed in home occupations shall be limited to the resident, immediate family members, and no more than one nonresident employee.
  - (10) Under no circumstances shall a motor vehicle repair or body work business qualify as

an authorized home occupation.

- (11) No animals shall be involved in any authorized home occupation.
- (12) Home day care is an authorized home occupation so long as it does not involve more than seven children or require state licensing.
- C. Conditional uses. Any proposed home occupation which does not satisfy the criteria established in Subsection B above may be authorized by the Plan Commission as a conditional use, subject to the requirements of § 385-21 and the following:
  - (1) The extent of the equipment or machinery used in the home occupation may be restricted by the Plan Commission.
  - (2) Sale or transfer of the subject property or the expansion of the approved home occupation shall cause the conditional use permit to terminate.